



A M E R I S E R V

Water Technology

PRODUCT BULLETIN

CWT 239 - CLOSED SYSTEM TREATMENT

GENERAL DESCRIPTION:

CWT 239 is a highly effective nitrite-borate corrosion inhibitor designed for use in both hot and chilled water systems. Yellow metal inhibitors are also incorporated into this formula for the protection of multi-metal systems containing ferrous and non-ferrous metals. For convenience, CWT 239 has a built in phenolphthalein indicator and is compatible with antifreeze.

PRODUCT CHARACTERISTICS:

Form.....Dark Red Liquid
pH.....Approximately 12.0
Density.....Approximately 9.67 lbs/gal

FEEDING:

CWT 239 may be introduced to closed recirculating waters by use of a by-pass feeder or any other method of assuring complete system distribution.

PRECAUTIONS & HANDLING:

CWT 239 is an alkaline material. Avoid contact with skin and eyes. Do not take internally. Protective gloves and chemical splash goggles are recommended. Wear impervious apron and boots to minimize potential contact. General ventilation is adequate, however, a NIOSH approved breathing apparatus should be used for exposures above OSHA threshold limit values. Consult material safety data sheet for more information.

PACKAGING:

55 gallon drums
30 gallon drums
5 gallon pails